For Research Use Only

RAD51 Monoclonal antibody, PBS Only



Catalog Number:67024-1-PBS

Featured Product

Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method: Protein A purification

67024-1-PBS

GeneID (NCBI):

Size:

5888

CloneNo.: 4A12B8

100ug, Concentration: 1 mg/ml by Nanodrop;

UNIPROT ID:

Source

Q06609 Full Name:

Mouse Isotype

RAD51 homolog (RecA homolog, E.

IgG2a

coli) (S. cerevisiae)

Immunogen Catalog Number:

Calculated MW:

37 kDa

AG7410

Observed MW:

37 kDa

Applications

Tested Applications:

WB, IHC, ELISA

Species Specificity:

Human, mouse, rat

Background Information


RAD51 plays a critical role in the maintenance of genomic integrity by functioning in the repair of DNA doublestrand breaks. It mediates homologous pairing and strand exchange in recombinatory structures known as RAD51foci in the nucleus. It also can bind to single and double stranded DNA and exhibits DNA-dependent ATPase activity. In addition, it has a role in regulating mitochondrial DNA copy number under conditions of oxidative stress in the presence of RAD51C and XRCC3.

Storage


Storage: Store at -80°C.

Storage Buffer:


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67024-1-lg (RAD51 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control. This data was developed using the same antibody clone with 67024-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 67024-1-Ig (RAD51 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67024-1-PBS in a different storage buffer formulation.



WB result of RAD51 antibody (67024-1-Ig; 1:1200; incubated at room temperature for 1.5 hours) with sh-Control and sh-RAD51 transfected NIH/3T3 cells. This data was developed using the same antibody clone with 67024-1-PBS in a different storage buffer formulation