For Research Use Only

HDAC3 Monoclonal antibody, PBS Only



Purification Method:

CloneNo.:

3E8F10

Protein A purification

Catalog Number: 67151-1-PBS

Basic Information

Catalog Number:

67151-1-PBS

100ug, Concentration: 1 mg/ml by

Nanodrop:

Mouse Isotype:

lgG2b Immunogen Catalog Number:

AG28464

GenBank Accession Number:

BC000614

GeneID (NCBI):

UNIPROT ID:

015379

Full Name: histone deacetylase 3

Calculated MW:

49 kDa

Observed MW:

49 kDa

Applications

Tested Applications:

WB, Indirect ELISA

Species Specificity: Human, mouse, rat

Background Information


 $His tone\ acetylation/deacetylation\ alters\ chromosome\ structure\ and\ affects\ transcription\ factor\ access\ to\ DNA.$ Histone deacetylase (HDAC) and histone acetyltransferase (HAT) are enzymes that regulate transcription by selectively deacetylating or acetylating the (-amino groups of lysines located near the amino termini of core histone proteins. At least 4 classes of HDAC were identified. HDAC3 is a class I HDAC. HDAC3 has histone deacetylase activity and may participate in the regulation of transcription through its binding with the zinc-finger transcription factor YY1. HDAC3 can also down-regulate p53 function and thus modulate cell growth and apoptosis. The gene encoding HDAC3 is regarded as a potential tumor suppressor gene.

Storage

Storage: Store at -80°C. Storage Buffer:

PBS Only

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67151-1-lg (HDAC3 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67151-1-PBS in a different storage buffer formulation.