For Research Use Only

DAAM1 Monoclonal antibody

Catalog Number: 67287-1-Ig



Purification Method:

Basic Information

Catalog Number: GenBank Accession Number: 67287-1-lg BC064999

67287-1-lg BC064999 Protein G purification
Size: GeneID (NCBI): CloneNo.:

150ul , Concentration: 1600 µg/ml by 23002 3F11F11
Nanodrop and 920 µg/ml by Bradford Full Name: Recomme

Nanodrop and 920 µg/ml by Bradford Full Name: Recommended Dilutions: method using BSA as the standard; dishevelled associated activator of WB 1:2000-1:10000

Source: morphogenesis 1

Mouse Calculated MW:
Isotype: 123 kDa
IgG1 Observed MW:
Immunogen Catalog Number: 120 kDa

AG6809

Applications
Tested Applications:

WB : HeLa cells, rat heart tissue, mouse heart tissue,

Positive Controls:

Species Specificity: HEK-293 cells, HepG2 cells, Jurkat cells Human, mouse, rat

Background Information

Dishevelled-associated activator of morphogenesis 1 (Daam1) is a member of the formin protein family that is implicated in actin assembly. Daam1 also plays a critical role in mediating Wnt/Fz signaling pathway and regulates cell polarity during development and tissue homoeostasis. This antibody well recognizes the endogenous DAAM1 protein around 120 kDa.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67287-1-1g (DAAM1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.