For Research Use Only

RPS14 Monoclonal antibody, PBS Only

Catalog Number:67566-1-PBS

Featured Product



Basic Information

Catalog Number: 67566-1-PBS Size: 100ug , Concentration: 1mg/ml by Nanodrop; Source: Mouse Isotype: IgG2b Immunogen Catalog Number: AG30032 GenBank Accession Number: BC003401 GeneID (NCBI): 6208 UNIPROT ID: P62263 Full Name: ribosomal protein S14 Calculated MW: 16 kDa Observed MW: 16 kDa

Purification Method: Protein A purification CloneNo.: 3D5H5

Applications

Tested Applications: WB, IHC, IF/ICC, Indirect ELISA Species Specificity: human, mouse, rat

Background Information

The mammalian ribosome consists of 4 RNA species and approximately 80 different proteins. The ribosomal proteins are encoded by complex gene families that include at least 1 active intron-containing gene and multiple processed pseudogenes[PMID 3785212]. The RPS14 gene, encoding a ribosomal protein that belongs to the 40S ribosome, and mapping to the commonly deleted region (CDR) of the 5q- syndrome, shows haploinsufficiency in the CD34+ cells of patients with this disorder[PMID:22430631].


Storage

Storage: Store at -80°C. Storage Buffer: PBS Only

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67566-1-1g (RPS14 antibody) at dilution of 1:10000 incubated at room


antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 67566-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human urothelial carcinoma tissue slide using 67566-1-1g (RPS14 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67566-1-PBS in a different storage buffer formulation.



WB result of RP514 antibody (67566-1-Ig; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-RPS14 transfected HeLa cells. This data was developed using the same antibody clone with 67566-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 67566-1-Ig (RPS14 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67566-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using RPS14 antibody (67566-1-1g, Clone: 3D5H5) at dilution of 1:800 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67566-1-PBS in a different storage buffer formulation.