For Research Use Only

TAP1 Monoclonal antibody, PBS Only

Catalog Number:68412-1-PBS




## Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** 68412-1-PBS BC014081 Protein A purification GeneID (NCBI): CloneNo.: Size: 1B8A7 100ug , Concentration: 1 mg/ml by 6890 Nanodrop; UNIPROT ID: Q03518 Source: Mouse Full Name: Isotype: transporter 1, ATP-binding cassette, sub-family B (MDR/TAP) lgG2b Immunogen Catalog Number: Calculated MW: AG21303 81 kDa **Observed MW:** 70 kDa **Applications Tested Applications:** WB, IF, IHC, Indirect ELISA **Species Specificity:** Human **Background Information** TAP1, also known as ABCB2, PSF1 or RING4, is a member of the ATP-binding cassette (ABC) family of transmembrane transporters and is an essential component of the major histocompatability complex (MHC) class I antigen-presenting pathway. TAP is involved in the transport of antigens from the cytoplasm to the endoplasmic reticulum for association with MHC class I molecules. It also acts as a molecular scaffold for the final stage of MHC class I folding. Defects in TAP1 are a cause of bare lymphocyte syndrome type 1 (BLS1). Western blot analysis using this antibody detected a major band around 70 kDa. Storage Storage: Store at -80°C. Storage Buffer: PBS Only


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free<br/>in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 68412-1-Ig (TAP1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 68412-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 68412-1-Ig (TAP1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 68412-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 68412-1-Ig (TAP1 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 68412-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using TAP1 antibody (68412-1-Ig, Clone: 188A7) at dilution of 1:1000 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 68412-1-PBS in a different storage buffer formulation.