For Research Use Only

uPAR/CD87 Monoclonal antibody, PBS Only




Catalog Number:68727-1-PBS


| Basic Information | Catalog Number: 68727-1-PBS | GenBank Accession Number: BC002788 | Purification Method: Protein A purification |
|------------------------|---|--|--|
| | Size: 100ug , Concentration: 1 mg/ml by Nanodrop; Source: Mouse Isotype: IgG2b Immunogen Catalog Number: AG28056 | GenelD (NCBI): 5329 | CloneNo.: 2A3E8 |
| | | UNIPROT ID: Q03405 Full Name: | |
| | | PLAUR Calculated MW: 37 kDa Observed MW: 35-50 kDa | |
| | | | |
| Applications | Tested Applications: WB, IHC, Indirect ELISA Species Specificity: human | | |
| Background Information | uPAR is a highly glycosylated, GPI-anchored membrane protein. In addition to the membrane-anchored form, uPAR is released from the plasma membrane by cleavage of the GPI anchor and can be found as a soluble form (suPAR). uPAR contains three homologous domains (D1-D3) of which the N-terminal one (D1) represents the uPA-binding domain. After binding to uPAR, uPA cleaves plasminogen, generating the active protease plasmin which is involved in a wide variety of physiologic and pathologic processes. In addition to regulating proteolysis, uPAR has important function in cell adhesion, migration and proliferation. Studies reveal that uPAR expression is elevated during inflammation and tissue remodeling and in many human cancers, in which it frequently indicates poor prognosis. (PMID 20027185; 12461559) | | |
| Storage | Storage: Store at -80°C. Storage Buffer: PBS Only | | |

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





U2OS cells were subjected to SDS PAGE followed by western blot with 68727-1-1g (uPAR/CD87 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 68727-1-PBS in a different storage buffer formulation. Immunohistochemical analysis of paraffinembedded human lung squamous cell cancer slide using 68727-1-1g (uPAR/CD87 antibody) at dilution of 1:500 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 68727-1-PBS in a different storage buffer formulation.