

For Research Use Only

IFN-gamma Monoclonal antibody, PBS Only (Capture)

Catalog Number: 68739-1-PBS



Basic Information

Catalog Number: 68739-1-PBS	GenBank Accession Number: GeneID (NCBI): 3458	Purification Method: Protein G purification
Size: 100ug , Concentration: 1 mg/ml by Nanodrop;	ENSEMBL Gene ID: ENSG00000111537	CloneNo.: 1C1G5
Source: Mouse	Full Name: IFN gamma	
Isotype: IgG1		
Immunogen Catalog Number: HZ-1301		

Applications

Tested Applications:
Sandwich ELISA, Indirect ELISA, Sample test

Species Specificity:
human

Product Information

68739-1-PBS targets IFN-gamma as part of a matched antibody pair:

MP50092-1: 68739-1-PBS capture and 68739-2-PBS detection (validated in Sandwich ELISA)

Unconjugated mouse monoclonal antibody pair in PBS only (BSA and azide free) storage buffer at a concentration of 1 mg/mL, ready for conjugation.

This conjugation ready format makes antibodies ideal for use in many applications including: ELISAs, multiplex assays requiring matched pairs, mass cytometry, and multiplex imaging applications. Antibody use should be optimized by the end user for each application and assay.

Storage


Storage:
Store at -80°C.

Storage Buffer:
PBS Only


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Sandwich ELISA standard curve of MP50092-1, IFN gamma Monoclonal Matched Antibody Pair, PBS Only. Capture antibody: 68739-1-PBS. Detection antibody: HRP-conjugated 68739-2-PBS. Standard: HZ-1301. Range: 0.977-15.625 ng/mL.



Cytometric bead array of Human peripheral blood mononuclear cells (PBMC) supernatant using MP50092-1, IFN-gamma Monoclonal Matched Antibody Pair, PBS Only. Capture antibody: 68739-1-PBS. Detection antibody: 68739-2-PBS. PBMC were cultured unstimulated or stimulated with 1 µg/mL PMA for 48 hours. 50 µL of the supernatant was analyzed using MP50092-1.