For Research Use Only

Phospho-MNK1 (Thr250/255) Recombinant antibody, PBS Only

Catalog Number:81398-1-PBS Featured Product





| Basic Information | Catalog Number: 81398-1-PBS | GenBank Accession Number: BC002755 | Purification Method: Protein A purification | | |
|------------------------|---|---|--|---------------------------|--|
| | Size: 100ug, Concentration: 1 mg/ml by Nanodrop; Source: Rabbit Isotype: IgG | GenelD (NCBI): 8569 UNIPROT ID: Q9BUB5 Full Name: MAP kinase interacting | CloneNo.: 4P9 | | |
| | | | | serine/threonine kinase 1 | |
| | | | | | |
| | | | | Observed MW: 51 kDa | |
| Applications | Tested Applications: WB, Indirect ELISA | | | | |
| | Species Specificity: human | | | | |
| Background Information | MNK1/MKNK1 (MAPK Interacting Serine/Threonine Kinase 1) is a Ser/Thr protein kinase that interacts with, and is activated by ERK1 and p38 mitogen-activated protein kinases, and thus may play a role in the response to environmental stress and cytokines. MNK1 regulates diverse biologic processes including translation, cell proliferation, and differentiation through phosphorylation of different substrates(PMID: 29045529). Through phosphorylation MNK1 regulates the function of eukaryotic translation initiation factor 4E (eIF4E), a key player in translational control, whose expression is mostly upregulated in cancer patients. | | | | |
| Storage | Storage: Store at -80°C. Storage Buffer: PBS Only | | | | |

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Non-treated HEK-293T cells, phosphatase inhibitor and λ phosphatase treated HEK-293T cells were subjected to SDS PAGE followed by western blot with 81398-1-RR (Phospho-MNK1 (Thr250/255) antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and re-blotted with GAPDH antibody as loading control. This data was developed using the same antibody clone with 81398-1-PBS in a different storage buffer formulation. WB result of Phospho-MNK1 (Thr250/255) antibody (81398-1-RR; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-Phospho-MNK1 (Thr250/255) transfected HEK-293 cells. This data was developed using the same antibody clone with 81398-1-PBS in a different storage buffer formulation.