For Research Use Only

## Galectin-3 Recombinant antibody, PBS Only

Catalog Number:82024-1-PBS Featured Product



**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** 

82024-1-PBS

GeneID (NCBI):

Protein A purification

BC001120

CloneNo.: 4M10

100ug, Concentration: 1mg/ml by Nanodrop:

**UNIPROT ID:** 

P17931 Full Name:

Rabbit Isotype:

lectin, galactoside-binding, soluble, 3

IgG

Calculated MW: 26 kDa

Immunogen Catalog Number: AG6891

Observed MW:

31 kDa

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, IP, Indirect ELISA

Species Specificity:

human, mouse

## **Background Information**


Galectins are a family of animal lectins defined by shared characteristic amino-acid sequences and affinity for  $\beta$ galactose-containing oligosac-charides (PMID: 8063692). Galectin-3, a member of the  $\beta$ -galactoside-binding proteins, contains one carbohydrate recognition domain (CRD) and a proline- and glycine-rich N-terminal domain through which is able to form oligomers (PMID: 14758078). Galectin-3 is widely expressed in many normal tissues and a variety of tumors. It is found intracellularly in nucleus and cytoplasm or secreted outside of cell, being present on the cell surface or in the extracellular space (PMID: 16478649). Galectin-3 is involved in various biological processes including cell growth, adhesion, differentiation, apoptosis, angiogenesis, immune response, neoplastic transformation and metastasis (PMID: 16478649; 14758078).

Storage


Storage: Store at -80°C. Storage Buffer: PBS Only

in USA), or 1(312) 455-8498 (outside USA)


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 82024-1-RR (Galectin 3 antibody) at dilution of 1:9900 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 82024-1-PBS in a different storage buffer formulation.



WB result of Galectin 3 antibody (82024-1-RR; 1:8000; incubated at room temperature for 1.5 hours) with sh-Control and sh-Galectin 3 transfected HeLa cells. This data was developed using the same antibody clone with 82024-1-PBS in a different storage buffer formulation.




IP result of anti-Galectin 3 (IP:82024-1-RR, 4ug; Detection:82024-1-RR 1:10000) with MCF-7 cells lysate 1880 ug. This data was developed using the same antibody clone with 82024-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human thyroid cancer tissue slide using 82024-1-RR (Galectin 3 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82024-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human normal colon slide using 82024-1-RR (Galectin 3 antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82024-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed Hela cells using Galectin 3 antibody (82024-1-RR, Clone: 4M10) at dilution of 1:500 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). This data was developed using the same antibody clone with 82024-1-PBS in a different storage buffer formulation.



Biolayer interferometry (BLL) kinetic assays of 82024-1-RR against Human Galectin 3 were performed. The affinity constant is 1.17 nM.