For Research Use Only

CD86 Recombinant antibody

Catalog Number:82882-1-RR




Basic Information	Catalog Number: 82882-1-RR	GenBank Accession Number: BC040261	Purification Method: Protein A purification	
	Size: 100ul , Concentration: 1000 µg/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG4063	GenelD (NCBI): 942	CloneNo.: 4M12	
		ENSEMBL Gene ID: Recommended Dilutions: ENSG00000114013 WB 1:1000-1:8000 UNIPROT ID: P42081		
			WB 1.1000-1.8000	
			Full Name: CD86 molecule	
		Calculated MW: 329 aa, 38 kDa		
		Observed MW: 75 kDa		
		Applications	Tested Applications: WB. ELISA	Positiv
Species Specificity: Human, Rat	WB : R cells		/B : Raji cells, rat thymus tissue, Daudi cells, Ramos ells	
Background Information	CD86 (also known as B7.2) is a costimulatory molecule belonging to the immunoglobulin superfamily. Primarily expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, and macrophages, CD86 is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding of CD86 with CD28 antigen is a costimulatory signal for activation of the T-cell. Binding of CD86 with cytotoxic T-lymphocyte-associated protein 4 negatively regulates T-cell activation and diminishes the immune response.			
Storage	Storage: Store at -20°C. Stable for one year after Storage Buffer: PBS with 0.02% sodium azide and 50°	% glycerol pH 7.3.		
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20° C s	torage		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 82882-1-RR (CD86 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.