For Research Use Only

ECSIT Recombinant antibody

Catalog Number:83295-1-RR



Basic Information

Catalog Number: GenBank Accession Number:

83295-1-RR BC008279 GeneID (NCBI): Size: 100ul , Concentration: 1000 ug/ml by 51295

Nanodrop: **UNIPROT ID:** Q9BQ95 Rabbit Full Name:

Isotype: ECSIT homolog (Drosophila)

IgG Calculated MW: Immunogen Catalog Number: 49 kDa AG26898 Observed MW: 49 kDa

WB 1:5000-1:50000 IHC 1:50-1:500

CloneNo.:

240223A7

Purification Method:

Protein A purification

Recommended Dilutions:

Applications

Tested Applications: WB, IHC, ELISA

Species Specificity:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HeLa cells, Jurkat cells, K-562 cells, A549 cells,

HepG2 cells, HEK-293 cells

IHC: human ovary cancer tissue, human intrahepatic

cholangiocarcinoma tissue

Background Information

ECSIT is a cytosolic adaptor protein associated with the toll-like receptor pathway. It has a distinct N-terminal mitochondrial targeting sequence, pentatricopeptide repeat motif, and a C-terminal pleckstrin homology domain. ECSIT regulates many biological processes like embryonic development, inflammation, cardiac function, and assembly of mitochondrial complex I. In macrophages, the activation of TLRs by inflammatory signals promotes the $translocation \ of \ TRAF6 \ to \ mit ochondria \ where \ it \ engages \ ECSIT \ to \ stimulate \ the \ production \ of \ mit ochondrial$ reactive oxygen species (ROS).

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83295-1-RR (ECSIT antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human ovary cancer tissue slide using 83295-1-RR (ECSIT antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human ovary cancer tissue slide using 83295-1-RR (ECSIT antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLI) kinetic assays of 83295-1-RR against Human ECSIT were performed. The affinity constant is below 1 pM.