For Research Use Only

ATM Recombinant antibody

Catalog Number:83608-4-RR



Purification Method:

Protein A purification

CloneNo.:

Basic Information

Catalog Number: GenBank Accession Number:

83608-4-RR BC137169 GeneID (NCBI): Size:

100ul, Concentration: 1000 ug/ml by 472 240560H8 Nanodrop; **UNIPROT ID:** Recommended Dilutions: Q13315 IF/ICC 1:300-1:1200

Rabbit Full Name:

Isotype: ataxia telangiectasia mutated IgG

Immunogen Catalog Number:

AG25920

Applications

Tested Applications: IF/ICC, FC (Intra), ELISA

Species Specificity:

Positive Controls:

IF/ICC: HeLa cells,

Background Information

The ATM protein is a member of the phosphatidylinositol 3-kinase family of proteins that respond to DNA damage by phosphorylating key substrates involved in DNA repair and/or cell cycle control. It is involved in mitogenic signal transduction, meiotic recombination, detection of DNA damage, and cell cycle control.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using ATM antibody (83608-4-RR, Clone: 240560H8) at dilution of 1:600 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



1x10^6 HeLa cells were intracellularly stained with 0.25 ug ATM Recombinant Antibody (83608-4-RR, Clone:240560H8) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).



Biolayer interferometry (BLL) kinetic assays of 83608-4-RR against Human ATM were performed. The affinity constant is 2.58 nM.