For Research Use Only

FIP1L1 Recombinant antibody, PBS Only

Catalog Number:83863-3-PBS


Antibodies | ELISA kits | Proteins Uni-rAb www.ptglab.com

Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** 83863-3-PBS BC017724 Protein A purfication GenelD (NCBI): CloneNo.: Size: 240658A8 100ug , Concentration: 1 mg/ml by 81608 Nanodrop; UNIPROT ID: Q6UN15 Source: Rabbit Full Name: Isotype: FIP1 like 1 (S. cerevisiae) IgG Calculated MW: Immunogen Catalog Number: 594 aa, 66 kDa AG2921 **Applications Tested Applications:** IHC, IF/ICC, FC (Intra), ELISA Species Specificity: human FIP1L1, also known as FIP1, encodes a subunit of the CPSF (cleavage and polyadenylation specificity factor) **Background Information** complex that polyadenylates the 3' end of mRNA precursors. The FIP1L1-PDGFRA fusion gene encodes a constitutively activated tyrosine kinase that links the first 233 amino acids of FIP1L1 to the last 523 amino acids of PDGFRA. This gene fusion and chromosomal deletion causes some forms of idiopathic hypereosinophilic syndrome (HES)(PMID: 12660384). Storage: **Storage** Store at -80°C. Storage Buffer: PBS Only


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human ovary cancer tissue slide using 83863-3-RR (FIP1L1 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 83863-3-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed MCF-7 cells using FIP1L1 antibody (83863-3-RR, Clone: 240658A8) at dilution of 1:250 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red). This data was developed using the same antibody clone with 83863-3-PBS in a different storage buffer formulation.



1x10^6 A549 cells were intracellularly stained with 0.25 ug FIP1L1 Recombinant antibody (83863-3-RR, Clone:240658A8) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set. This data was developed using the same antibody clone with 83863-3-PBS in a different storage buffer formulation.



1x10⁶ U-2 OS were intracellularly stained with 0.25 ug FIP1L1 Recombinant antibody (83863-3-RR, Clone:240658A8) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set. This data was developed using the same antibody clone with 83863-3-PBS in a different storage buffer formulation.