For Research Use Only

Mouse NCAM1/CD56 Recombinant antibody, PBS Only

Catalog Number:83883-5-PBS



Basic Information

Catalog Number:

83883-5-PBS

Size:

100ug, Concentration: 1 mg/ml by

Nanodrop: Source:

Rabbit

Isotype: IgG

Observed MW:

Calculated MW:

GeneID (NCBI):

UNIPROT ID:

P13595-1

Full Name:

119 kDa

17967

120 kDa, 140 kDa, 180 kDa

neural cell adhesion molecule 1

GenBank Accession Number:

Purification Method: Protein A purfication

CloneNo.:

240936B10

Applications

Tested Applications: IHC, IF/ICC, ELISA

Species Specificity:

mouse

Background Information

Neural cell adhesion molecule 1 (NCAM1, also known as CD56) is a cell adhesion glycoprotein of the $immunoglobulin (Ig) \ superfamily. \ It is \ a \ multifunction \ protein \ involved \ in \ synaptic \ plasticity, \ neurodevelopment,$ and neurogenesis. NCAM1 is expressed on human neurons, glial cells, skeletal muscle cells, NK cells, and a subset of T cells, and the expression is observed in a wide variety of human tumors, including myeloma, myeloid leukemia, neuroendocrine tumors, Wilms' tumor, neuroblastoma, and NK/T cell lymphomas. Three major isoforms of NCAM1, with molecular masses of 120, 140, and 180 kDa, are generated by alternative splicing of mRNA (PMID: 9696812). The glycosylphosphatidylinositol (GPI)-anchored NCAM120 and the transmembrane NCAM140 and NCAM180 consist of five Ig-like domains and two fibronection-type III repeats (FNIII). All three forms can be posttranslationally modified by the addition of polysialic acid (PSA) (PMID: 14976519). Several other isoforms have also been described (PMID: 1856291).

Storage

Storage:


Store at -80°C. Storage Buffer: PBS Only

in USA), or 1(312) 455-8498 (outside USA)


Selected Validation Data




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 83883-5-RR (NCAM1/CD56 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 83883-5-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 83883-5-RR (NCAM1/CD56 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 83883-5-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed Neuro-2a cells using Ncam1 antibody (83883-5-RR, Clone: 240936B10) at dilution of 1:250 and CoraLite@488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2). This data was developed using the same antibody clone with 83883-5-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed Neuro-2a cells using Ncam1 antibody (83883-5-RR, Clone: 240936B10) at dilution of 1:250 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2). This data was developed using the same antibody clone with 83883-5-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 83883-5-RR against Mouse Ncam1 were performed. The affinity constant is 0.184 nM.