For Research Use Only

IL-23R Recombinant antibody

Catalog Number:83918-3-RR



Basic Information	Catalog Number: 83918-3-RR	GenBank Accession Number:	Purification Method: Protein A purfication			
	Size: 100ul , Concentration: 1000 µg/ml by Nanodrop; Source: Rabbit Isotype: IgG	GeneID (NCBI): 209590	CloneNo.:			
		UNIPROT ID: O8K4B4	240989A12 Recommended Dilutions:			
		Full Name: interleukin 23 receptor	WB 1:2000-1:10000			
		Calculated MW: 73 kDa				
		Observed MW: 73 kDa				
Applications	Tested Applications:	Positi	Positive Controls:			
	WB, ELISA Species Specificity: human, mouse	WB : K-562 cells, Jurkat cells, RAW 264.7 cells				
Background Information	Interleukin-23 receptor (IL-23R) is a type I cytokine receptor that plays a critical role in immune responses and inflammation. It forms a receptor complex with IL-12Rβ1 and is activated by the cytokine IL-23, which is primarily produced by dendritic cells and activated macrophages (PMID: 39796684). The genetic and epigenetic interactions in the IL-23R/IL-17 axis are associated with elevated expression of IL-17 and inflammatory bowel disease (IBD) pathogenesis (PMID: 21672939).					
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50					
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^\circ$ C s	•••				

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data

	4.582	jurkal	RAN	264.7	
180 kDa→					
$140 \text{ kDa} \rightarrow$					
100 kDa→					
75 kDa→		_	_	←IL23R	
60 kĎa→					
ନ୍ଦ୍ର					
45 kDa→					
ω					
35 kDa→					
ö					
3					
$25 \text{ kDa} \rightarrow$					

Various lysates were subjected to SDS PAGE followed by western blot with 83918-3-RR (IL23R antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.