For Research Use Only

CASQ2 Recombinant antibody, PBS Only proteintech®

Catalog Number:84056-6-PBS



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

84056-6-PBS

BC022288 GeneID (NCBI): Protein A purfication

Size:

100ug, Concentration: 1 mg/ml by

CloneNo.: 241211A3

Nanodrop;

UNIPROT ID: 014958

Source: Rabbit

Full Name:

Isotype:

calsequestrin 2 (cardiac muscle) Calculated MW:

IgG

46 kDa

AG33584

Observed MW:

46-55 kDa

Applications

Tested Applications:

WB, IF/ICC, FC (Intra), Indirect ELISA

Immunogen Catalog Number:

Species Specificity:

human, mouse, rat, pig

Background Information

Calsequestrin (CASQ) is a Ca2+-binding protein present primarily in junctional sarcoplasmic reticulum of skeletal and cardiac muscle; the cardiac form (CASQ2) is encoded by a separate gene. The primary role of CASQ2 is buffering of the sarcoplasmic reticulum Ca2+ ions, but another role for CASQ2 has emerged recently: CASQ2 regulates the open probability of ryanodine receptor 2 (RyR2). Mutations in CASQ2 cause stress-induced polymorphic ventricular tachycardia, also referred to as catecholaminergic polymorphic ventricular tachycardia 2 (CPVT2), a disease characterized by bidirectional ventricular tachycardia that may lead to cardiac arrest.

Storage


Storage:

Store at -80°C. Storage Buffer:


PBS Only

in USA), or 1(312) 455-8498 (outside USA)


Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed C2C12 cells using CASQ2 antibody (84056-6-RR, Clone: 241211A3) at dilution of 1:250 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). This data was developed using the same antibody clone with 84056-6-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed C2C12 cells using CASQ2 antibody (84056-6-RR, Clone: 24121143) at dilution of 1:500 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). This data was developed using the same antibody clone with 84056-6-PBS in a different storage buffer formulation.



1x10^6 U2OS cells were intracellularly stained with 0.25 ug CASQ2 Recombinant antibody (84056-6-RR, Clone:24121143) and APC-Conjugated Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 84056-6-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 84056-6-RR (CASQ2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 84056-6-PBS in a different storage buffer formulation.