For Research Use Only

## CD122/IL-2RB Recombinant antibody, PBS Only

Catalog Number:84389-2-PBS



**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** 

84389-2-PBS

GeneID (NCBI):

BC025691

Protein A purification

Size:

100ug, Concentration: 1 mg/ml by 3560 CloneNo.: 241677C9

Nanodrop;

**ENSEMBL Gene ID:** 

Source: Rabbit

ENSG00000100385 **UNIPROT ID:** 

Isotype: IgG

P14784 Full Name:

interleukin 2 receptor, beta

Calculated MW: 551 aa. 61 kDa Observed MW: 70 kDa

**Applications** 

**Tested Applications:** 

WB, Indirect ELISA Species Specificity:

**Background Information** 


The interleukin 2 receptor, which is involved in T cell-mediated immune responses, is present in 3 forms with respect to ability to bind interleukin 2. The low affinity form is a monomer of the alpha subunit and is not involved in signal transduction. The intermediate affinity form consists of an alpha/beta subunit heterodimer, while the high affinity form consists of an alpha/beta/gamma subunit heterotrimer. The beta subunit (IL2RB, also known as CD122 and p75) is involved in receptor mediated endocytosis and transduces the mitogenic signals of nterleukin 2.

Storage


Storage: Store at -80°C. Storage Buffer: PBS Only

in USA), or 1(312) 455-8498 (outside USA)

## **Selected Validation Data**



NK-92 cells were subjected to SDS PAGE followed by western blot with 84389-2-RR (CD122/IL-2RB antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 84389-2-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 84389-2-RR against Human CD122/IL-2RB were performed. The affinity constant is 32.2 nM.