For Research Use Only

IRAK1 Recombinant antibody, PBS Only

Catalog Number:86068-3-PBS

Antibodies | ELISA kits | Proteins Uni-rAb www.ptglab.com

Basic Information

Catalog Number: 86068-3-PBS Size: 100ug , Concentration: 1 mg/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG0728 GenBank Accession Number: BC014963 GeneID (NCBI): 3654 UNIPROT ID: P51617 Full Name: interleukin-1 receptor-associated kinase 1 Calculated MW: 77 kDa Observed MW: 68-80 kDa

Purification Method: Protein A purification CloneNo.: 250691C5

Applications

Tested Applications: WB, Indirect ELISA Species Specificity: human, rat

Background Information

Interleukin-1 receptor-associated kinases (IRAKs) are a unique family of death domain containing protein kinases that play a key role in initiating innate immune response against foreign pathogens. They are involved in Toll-like receptor (TLR) and interleukin-1 receptor (IL-1R) signaling pathways. IRAK1 is the first member of this kinase family. Upon ligand binding to TLR/IL-1R, IRAK1 is recruited by MYD88 to the receptor-signaling complex, the association leads to IRAK1 phosphorylation by IRAK4 and subsequent autophosphorylation and kinase activation. Hyperphosphorylated IRAK1 then disengages from the receptor complex, and forms a cytosolic IRAK1-TRAF6 complex. TRAF6 then interacts with TAK and TAB, resulting in eventual activation of the NF-kB and MAPK pathways. Phosphorylated IRAK1 also undergoes ubiquitin-mediated degradation or sumoylation, which results in nuclear translocation and transcriptional activation of inflammatory target genes. (PMID: 17890055; 12620219)


Storage


Storage: Store at -80°C. Storage Buffer: PBS only, pH7.3

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





PC-12 cells were subjected to SDS PAGE followed by western blot with 86068-3-RR (IRAK1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 86068-3-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 86068-3-RR against Human IRAK1 were performed. The affinity constant is 2.50 nM.

Various lysates were subjected to SDS PAGE followed by western blot with 86068-3-RR (IRAK1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 86068-3-PBS in a different storage buffer formulation.