For Research Use Only

## Anti-Human CD8b Rabbit Recombinant Antibody, PBS Only



**Purification Method:** 

Protein A purfication

CloneNo.:

241326A7

Catalog Number:98103-1-PBS

**Basic Information** 

Catalog Number:

98103-1-PBS

Size:

1mg, 2 mg/ml

Source: Rabbit Isotype: IgG

GenBank Accession Number:

BC100913 GeneID (NCBI):

926

**UNIPROT ID:** P10966 Full Name: CD8b molecule

Calculated MW: 243 aa, 27 kDa

**Applications** 

**Tested Applications:** 

Species Specificity:

human

**Background Information** 


CD8b (T-cell surface glycoprotein CD8 beta chain) is an integral membrane glycoprotein that forms disulfide-linked heterodimers with CD8a (CD8 alpha chain). The CD8 alpha/beta heterodimer is the predominant CD8 complex expressed on the cell surface (PMID: 1534146; 2111591). CD8 is a transmembrane glycoprotein predominantly expressed on the surface of cytotoxic T cells and can also be found on natural killer cells, cortical thymocytes, and dendritic cells. CD8 serves as a co-receptor for the T cell receptor (TCR). Both CD8 and TCR recognize antigens displayed by an antigen presenting cell (APC) in the context of class I MHC molecules. CD8 plays a role in T cell development and activation of mature T cells.

Storage


Storage: Store at -80°C. Storage Buffer:

PBS Only

## **Selected Validation Data**



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD8b Rabbit Recombinant Antibody (98103-1-RR, Clone: 241326A7) or Isotype Control, and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were co-stained with APC Anti-Human CD3. Cells were not fixed. This data was developed using the same antibody clone with 98103-1-PBS in a different storage buffer formulation.



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD8b Rabbit Recombinant Antibody (98103-1-RR, Clone: 241326A7)(red), or Isotype Control (blue) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed. This data was developed using the same antibody clone with 98103-1-PBS in a different storage buffer formulation.