For Research Use Only

APC Anti-Human CD117/c-Kit Rabbit Recombinant Antibody

Catalog Number: APC-98377



Basic Information

Catalog Number:

APC-98377

Size:

100tests, 5 ul/test

Source: Rabbit

Isotype:

GenBank Accession Number:

BC071593 GeneID (NCBI): 3815

UNIPROT ID: P10721 Full Name:

v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog

Calculated MW:

976 aa, 110 kDa

Purification Method:

Protein A purification

CloneNo.: 241313C5

Recommended Dilutions:

FC: 5 ul per 10^6 cells in a 100 µl

suspension

Excitation/Emission maxima

wavelengths: 650 nm / 660 nm

Applications

Tested Applications:

Species Specificity:

Positive Controls:

FC: human blood cells, TF-1 cells

Background Information

CD117, also known as c-Kit and SCFR, is a transmembrane protein with tyrosine kinase activity encoded by the oncogene c-kit (PMID: 2448137). It is a member of the type III receptor tyrosine kinase family, which also includes ${\sf CSF-1R,PDGFR}{\beta, PDGFR}{\alpha, and FLT3 (PMID: 29518044)}. \ {\sf CD117} \ is expressed on hematopoietic stem cells and the stem of the property of the propert$ progenitor cells, mast cells, and is also found in a wide range of non-haemopoietic cell types (including melanocytes, germ cells, astrocytes, renal tubules, breast glandular epithelial cells, sweat glands, and interstitial cells of Cajal) (PMID: 10582338; 23073628). CD117 plays an important role in early hemopoiesis. It is also involved in pigmentation, fertility, gut movement, and some aspects of the nervous system (PMID: 23073628).


Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 human blood cells were surface stained with FITC Plus Anti-Human CD34, and 5 ul APC Anti-Human C-Kit Rabbit RecAb (APC-98377, Clone: 241313C5) or APC Rabbit IgG Isotype Control RecAb (APC-98136, Clone: 240953C9). Cells were not fixed. Lymphocytes were gated.