For Research Use Only

FcZero-rAb[™] APC Anti-Mouse CD206 Rabbit Recombinant Antibody

Catalog Number: APC-FcA98031





Basic Information	Catalog Number: APC-FcA98031	GenBank Accession Number: NM_008625.2	Purification Method: Protein A purification
	Size: 100ug , 200 µg/ml	GenelD (NCBI): 17533	CloneNo.: 240344D12
	Source: Rabbit Isotype: IgG	Full Name: mannose receptor, C type 1 Calculated MW: 165 kDa	Excitation/Emission maxima wavelengths: 650 nm / 660 nm
Background Information	CD206, also named as MMR, CLEC 13D and MRC 1, is a type I membrane receptor that mediates the endocytosis of glycoproteins by macrophages. CD206 has been shown to bind high-mannose structures on the surface of potentially pathogenic viruses, bacteria, and fungi so that they can be neutralized by phagocytic engulfment. CD206 is a 170 kDa transmembrane protein which contains 5 domains: an amino-terminal cysteine-rich region, a fibronectin type II repeat, a series of eight tandem lectin-like carbohydrate recognition domains (responsible for the recognition of mannose and fucose), a transmembrane domain, and an intracellular carboxy-terminal tail. It is expressed on most tissue macrophages, in vitro derived dendritic cells, lymphatic and sinusoidal endothelia.		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^{^6} mouse peritoneal macrophages were surface stained with 0.25 ug APC Anti-Mouse CD206 Rabbit RecAb (APC-FcA98031, Clone: 240344D12), or 0.25 ug APC Rabbit IgG Isotype Control RecAb (APC-FcA98136, Clone: 240953C9). Cells were not fixed.

1x10^6 mouse peritoneal macrophages were surface stained with 0.25 ug APC Anti-Mouse CD206 Rabbit RecAb (APC-FcA98031, Clone: 240344D12)(red) or 0.25 ug APC Rabbit IgG Isotype Control RecAb (APC-FcA98136, Clone: 240953C9) (blue). Cells were not fixed.