For Research Use Only

Biotin Anti-Human CD28 (CD28.2) Mouse IgG2a Recombinant Antibody

Catalog Number:Biotin-65621



Basic Information

Catalog Number:

Biotin-65621

Size:

100ug , 500 μ g/ml

Source: Mouse Isotype: IgG2a

ENSEMBL Gene ID: ENSG00000178562 Full Name: CD28 molecule Calculated MW: 220 aa, 25 kDa Purification Method: Protein A purification

CloneNo.: CD28.2

Applications

Tested Applications:

FC

Species Specificity:

human

Background Information

CD28 (T-cell-specific surface glycoprotein CD28), also known as T44 and Tp44, is a 44 kD disulfide-linked homodimeric type I glycoprotein (PMID: 2162180). It is a member of the immunoglobulin superfamily and is expressed on most T lineage cells, NK cell subsets, and plasma cells (PMID: 2162180, 8386518). CD28 may affect in vivo immune responses by functioning both as a cell adhesion molecule linking B and T lymphocytes and as the surface component of a novel signal transduction pathway (PMID: 2162180, 3021470). CD28 binds both CD80 and CD86 with a highly conserved motif MYPPY in the CDR3-like loop (PMID: 15696168, 7964482). CD28 is considered a major co-stimulatory molecule, inducing T lymphocyte activation and IL-2 synthesis, and preventing cell death (PMID: 1348520).

GenBank Accession Number:

BC093698

GeneID (NCBI):

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1x10^6 human PBMCs were surface stained with 5 ul Biotin Plus Anti-Human CD28 (CD28.2) Mouse IgG2a RecAb (Biotin-65621, Clone: CD28.2) and CoraLite® 488-conjugated streptavidin, or unstained. Cells were co-stained with APC Anti-Human CD3. Cells were not fixed.



1x10^6 human PBMCs were surface stained with 5 ul Biotin Plus Anti-Human CD28 (CD28.2) Mouse IgG2a RecAb (Biotin-65621, Clone: CD28.2) (red) and CoraLite® 488-conjugated streptavidin, or unstained (blue). Cells were not fixed.