For Research Use Only

Biotin Anti-Human CEACAM5/8 (CD66b/e) Rabbit Recombinant Antibody

Antibodies | ELISA kits | Proteins Uni-rAb www.ptglab.com


Catalog Number:Biotin-98012

Catalog Number: Biotin-98012	GenBank Accession Number: BC026263	Purification Method: Protein A purification
Size: 100ug , 500 µg/ml	Genel D (NCBI): 1088	CloneNo.: 230353B7
Source: Rabbit	UNIPROT ID: P31997	
lsotype: IgG	Full Name: carcinoembryonic antigen-relate cell adhesion molecule 8	d
	Calculated MW: 38 kDa	
Tested Applications: FC		
Species Specificity: human		
Carcinoembryonic antigen-related cell adhesion molecules (CEACAMs) belong to the immunoglobulin superfamily of cell adhesion molecules. CEACAMs play major roles in cell-cell and cell-ECM adhesion and have been implicated in controlling cell proliferation, angiogenesis, and tissue remodeling (PMID: 23021083). Carcinoembryonic antigen (CEA), also known as CEACAM5 or CD66e mainly serves as a cell adhesion molecule mediating intercellular contact by both homophilic and heterophilic binding (PMID: 21731662). CEACAM8, also known as CD66b, CGM6 or NCA-95, is a glycosylphosphatidylinositol (GPI)-linked glycoprotein expressed on granulocytes and is involved in regulating adhesion and activation of eosinophils (PMID: 8104998; 18056392; 18056392). This antibody is raised against 35-319 aa of human CEACAM8/CD66b and can cross-react with CEACAM5/CD66e.		
Storage Buffer:	<i>c , , , ,</i>	nt.
	Biotin-98012 Size: 100ug, 500 µg/ml Source: Rabbit Isotype: IgG Tested Applications: FC Species Specificity: human Carcinoembryonic antigen-rel of cell adhesion molecules. Cl in controlling cell proliferatio (CEA), also known as CEACAM by both homophilic and heter is a glycosylphosphatidylinos adhesion and activation of eo 319 aa of human CEACAM8/C Storage: Storage Storage Buffer:	Biotin-98012 BC026263 Size: GeneID (NCBI): 100ug, 500 µg/ml 1088 Source: UNIPROT ID: Rabbit P31997 Isotype: Full Name: IgG carcinoembryonic antigen-related cell adhesion molecule 8 Calculated MW: 38 kDa Tested Applications: FC Species Specificity: human Carcinoembryonic antigen-related cell adhesion molecules (CEACAMs; of cell adhesion molecules. CEACAMs play major roles in cell-cell and in controlling cell proliferation, angiogenesis, and tissue remodeling (P (CEA), also known as CEACAM5 or CD66e mainly serves as a cell adhesis by both homophilic and heterophilic binding (PMID: 21731662). CEACA is a glycosylphosphatidylinositol (CPI)-linked glycoprotein expressed of adhesion and activation of eosinophils (PMID: 8104998; 18056392; 180; 319 aa of human CEACAM8/CD66b and can cross-react with CEACAM5/ Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipme

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^6 human peripheral blood leukocytes were surface stained with 0.25 ug Biotin Plus Anti-Human CEACAM5/8 (CD66b/e) Rabbit Recombinant Antibody (Biotin-98012, Clone: 230353B7) and Coralite®488-conjugated streptavidin, or unstained. Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.