

For Research Use Only

CoraLite®488-conjugated TMEM173/STING Polyclonal antibody



Catalog Number:CL488-19851

Basic Information

Catalog Number: CL488-19851	GenBank Accession Number: BC047779	Purification Method: Antigen affinity purification
Size: 100ul , Concentration: 1000 µg/ml by Nanodrop and 330 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 340061	Recommended Dilutions: IF 1:50-1:500
Source: Rabbit	Full Name: transmembrane protein 173	Excitation/Emission maxima wavelengths: 488 nm / 515 nm
Isotype: IgG	Calculated MW: 379 aa, 42 kDa	
Immunogen Catalog Number: AG13921		

Applications

Tested Applications: FC (Intra), IF	Positive Controls: IF : HT-29 cells, HepG2 cells
Species Specificity: human	

Background Information

Stimulator of interferon genes (STING, also known as ERIS, MITA and MPYS, and encoded by TMEM173) is a transmembrane adaptor protein that facilitates innate immune signaling (PMID: 18724357). STING is widely expressed in various cell types such as endothelial cells, epithelial cells, T cells, macrophages, and dendritic cells (PMID: 26603901). It is predominantly located in the endoplasmic reticulum (ER). STING functions as a sensor of cytosolic DNA and promotes the production of type I interferons and pro-inflammatory cytokines.


Storage

Storage:
Store at -20°C. Avoid exposure to light.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HT-29 cells using CoraLite®488 TMEM173/STING antibody (CL488-19851) at dilution of 1:200.



1X10⁶ HepG2 cells were intracellularly stained with 0.4 ug CoraLite®488 Anti-Human TMEM173/STING (CL488-19851) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).