For Research Use Only

CoraLite® Plus 488-conjugated Band 3/AE 1 Polyclonal antibody

Catalog Number: CL488-28131


Antibodies ELISA kits Proteins
www.ptglab.com

Basic Information	Catalog Number: CL488-28131	GenBank Accession Number: BC 101570	Purification Method: Antigen affinity purification
	100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG27878	GeneID (NCBI): (6521 UNIPROT ID: P02730 Full Name: solute carrier family 4, anion exchanger, member 1 (erythrocyte	Recommended Dilutions: IF-P 1:50-1:500 Excitation/Emission maxima wavelengths: 493 nm / 522 nm
		Observed MW: 95-100 kDa	
		Applications	Tested Applications: IF-P Species Specificity: human
Background Information	Anion exchanger 1 (AE1), also known as band 3, is a 95-100 kDa transmembrane glycoprotein which is abundantly expressed in erythrocyte plasma membrane and mediates the electroneutral exchange of Cl- and HCO3 It contains a 52-55 kDa C-terminal membrane crossing domain and a 43 kDa N-terminal cytoplasmic domain. Degradation of band 3 protein occurred during erythrocyte aging. The oxidative stress can also activate the proteolysis of band 3 through caspases.		
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage		


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded human placenta tissue using CoraLite® Plus 488 Band 3/AE 1 antibody (CL488-28131) at dilution of 1:200. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded human placenta tissue using CoraLite® Plus 488 Band 3/ AE1 antibody (CL488-28131) at dilution of 1:200. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).