For Research Use Only

CoraLite® Plus 488-conjugated GAPDH Monoclonal antibody

Catalog Number:CL488-60004

Featured Product

9 Publications




Basic Information	Catalog Number: CL488-60004	GenBank Accession Numbe BC004109	: Purification Method: Protein A purification	
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Mouse Isotype: IgG2b Immunogen Catalog Number: AG0766	GenelD (NCBI): 2597	CloneNo.: 1E6D9	
		UNIPROT ID: P04406	Recommended Dilutions: WB 1:2000-1:16000	
		Full Name: glyceraldehyde-3-phosphate dehydrogenase	e wavelengths: 493 nm / 522 nm	
		Calculated MW: 36 kDa		
		Observed MW: 36 kDa		
Applications	Tested Applications:	Positive Controls:		
	WB, FC (Intra) Cited Applications: WB	WB : A549 cells, HeLa cells, HEK-293 cells, Jurkat cells		
	Species Specificity: human, mouse, rat, zebrafish, yeast, plant			
	Cited Species: human, mouse, rat			
Background Information	Glyceraldehyde-3-phosphate dehydrogenase (GAPDH) catalyzes the phosphorylation of glyceraldehyde-3- phosphate during glycolysis. GAPDH participates in nuclear events including transcription, binding RNA, RNA transportation, DNA replication, DNA repair and apoptosis. Being stably and constitutively expressed at high levels in most tissues and cells, GAPDH is considered a housekeeping protein. It is widely used as a control for RT-PCR and also loading control in electrophoresis and Western blotting. GAPDH is normally expressed in cellular cytoplasm of membrane, but can occasionally translocate to the nucleus after the addition of post-translational modifications such as S-nitrosylation. This antibody is raised against full length GAPDH of human origin. It can recognize the 36 kDa GAPDH protein in most cells/tissues. In addition, a band below 36 kDa can always be detected as the isoform c spliced product of GAPDH (PMID: 23885286, 23877755, 19368702). Please note that some physiological factors, suc as hypoxia and diabetes, increase GAPDH expression in certain cell types.			
Notable Publications	Author Pub	med ID Journal	Application	
	Decai Chi 347	80782 Exp Cell Re	s WB	
	Julie A Hicks 295	77951 Virus Res	WB	
			ny NY) WB	
	Guojun Gao 3250	07767 Aging (Alba		


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with CL488-60004 (GAPDH antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with CL488-60004 (GAPDH antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



1X10^{^6} HeLa cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human GAPDH (CL488-60004, Clone:1E6D9) (red), or 0.4 ug Mouse IgG2b Isotype Control (CL488-66360-3, Clone: K1188C4B5) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).