For Research Use Only

CoraLite® Plus 488-conjugated PEX19 Monoclonal antibody

www.ptglab.com

Purification Method:

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

Excitation/Emission maxima

Catalog Number: CL488-68555

Basic Information

Catalog Number: GenBank Accession Number:

CL488-68555 BC000496 Protein G purification GeneID (NCBI): CloneNo.:

100ul, Concentration: 1000 ug/ml by 5824 3H2C2 Nanodrop: **UNIPROT ID:** Recommended Dilutions:

P40855 Mouse Full Name:

Isotype: peroxisomal biogenesis factor 19

lgG1 Calculated MW:

Immunogen Catalog Number: 33 kDa

AG6858 Observed MW:

35-40 kDa

Applications

Tested Applications:

IF/ICC

Species Specificity: human, mouse, rat, pig Positive Controls:

IF/ICC: HeLa cells,

Background Information

Peroxins (PEXs) are proteins that are essential for the assembly of functional peroxisomes. PEX19 gene is necessary for early peroxisomal biogenesis. It acts both as a cytosolic chaperone and as an import receptor for peroxisomal membrane proteins (PMPs) (PMID: 14709540). PEX19 may bind newly synthesized PMPs and facilitate their insertion into the peroxisome membrane (PMID: 107044440. The peroxisome biogenesis disorders (PBDs) are a group of genetically heterogeneous autosomal recessive, lethal diseases characterized by multiple defects in peroxisome function. Defects in this gene are a cause of Zellweger syndrome (ZWS), as well as peroxisome biogenesis disorder complementation group 14 (PBD-CG14) (PMID:20683989) (PMID:10051604).

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using CoraLite® Plus 488 PEX19 antibody (CL488-68555, Clone: 3H2C2) at dilution of 1:200.