For Research Use Only

CoraLite® Plus 488-conjugated CSNK2A1 Recombinant antibody

Catalog Number: CL488-83805-4



Purification Method:

Basic Information

Catalog Number: GenBank Accession Number:

CL488-83805-4 BC011668 Protein A purification

GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 ug/ml by 1457 240862A7

Nanodrop: **UNIPROT ID:** Recommended Dilutions: P68400 IF/ICC 1:50-1:500

Rabbit Full Name: Excitation/Emission maxima

Isotype: casein kinase 2, alpha 1 polypeptide wavelengths: 493 nm / 522 nm

IgG Calculated MW:

Immunogen Catalog Number: 45 kDa AG1452 Observed MW:

40-45 kDa

Applications

Tested Applications:

IF/ICC

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: HepG2 cells,

Background Information

CSNK2A1(Casein kinase II subunit alpha) is also named as CK2A1 and belongs to the CK2 subfamily. The CSNK2A1 gene contains 8 exons whose sequences comprise bases 102 to 824 of the coding region of the human casein kinase II alpha subunit. Casein kinase II is a ubiquitous protein-serine/threonine kinase in eukaryotic cells that catalyzes the phosphorylation of many protein substrates and has been regarded as a second-messenger-independent protein kinase. This enzyme is composed of an a subunit (37 to 44kDa) and a β subunit (24 to 28 kDa) and exists as an a2β2 tetramer (PMID:1448100). Casein kinase 2 has been found to be increased at protein level and up-regulated at the level of enzyme activity in the majority of cancers. However, elevated levels of casein kinase 2 are present in certain normal organs such as brain and testes.

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 488 CSNK2A1 antibody (CL488-83805-4, Clone: 240862A7) at dilution of 1:200.