For Research Use Only

## CoraLite® Plus 488 Anti-Rat IFNgamma Rabbit Recombinant Antibody



Catalog Number: CL 488-98001

**Basic Information** 

Catalog Number: CL488-98001

Size:

100ug , 500  $\mu$ g/ml Source:

Rabbit Isotype: IgG

GenBank Accession Number:

NM\_138880 GeneID (NCBI):

25712 **UNIPROT ID:** P01581 Full Name: interferon gamma

Calculated MW:

**Purification Method:** 

Protein A purification CloneNo.:

6K20

Excitation/Emission maxima wavelengths:

493 nm / 522 nm

**Applications** 

**Tested Applications:** 

FC (Intra)

Species Specificity:

**Background Information** 

Interferon-gamma (IFN y), is a type II interferon that provides immunity against bacterial, viral and protozoan infections. It is produced by a number of immune cell types including natural killer cells, natural killer T cells, and effector lymphocyte T cells following antigenic and inflammatory triggers. The IFN  $\gamma$  dimer binds to its cognate receptor which has two subunits: IFN-γ R1 which is the ligand-binding chain (a chain) and IFN-γ R2, the signaltransducing chain ( $\beta$  chain). Binding to the receptor activates the JAK/STAT pathway which in turn activates IFN  $\gamma$ responsive genes. While IFN y can inhibit viral replication, it also works as an immune-modulator and immunestimulator by increasing surface expression of class I MHC proteins (PMID: 19268625; 10688427)

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide.

in USA), or 1(312) 455-8498 (outside USA)

## **Selected Validation Data**



1x10^6 unstimulated or ConA+PMA and ionomycin stimulated (in the presence of protein transport inhibitors) rat splenocytes cells were intracellularly stained with 0.25 ug Coralite® Plus 488 Anti-Rat IFN-gamma (6K20) Rabbit Recombinant Antibody (CL488-98001, Clone:6K20), and 0.25 ug APC Anti-Rat CD4 (0X-35) (APC-65179, Clone: OX-35), and 0.25 ug Coralite® Plus 488-conjugated Rabbit IgG control Rabbit PolyAb (CL488-30000). Cells were fixed with 4% PFA and