For Research Use Only

## CoraLite®532-conjugated Arginase-1 Recombinant antibody

Catalog Number: CL532-82975



**Basic Information** 

Catalog Number: GenBank Accession Number:

CL532-82975 BC005321 GeneID (NCBI):

100ul , Concentration: 1000  $\mu g/ml$  by 383 Nanodrop: **UNIPROT ID:** P05089

Rabbit Full Name: Isotype: arginase, liver IgG Calculated MW:

Immunogen Catalog Number: 236aa,25 kDa; 322aa,35 kDa

AG8595 Observed MW:

35-36 kDa

**Purification Method:** 

Protein A purification

CloneNo.: 4M7

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 537 nm / 560 nm

**Applications** 

**Tested Applications:** 

IF/ICC

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: HepG2 cells,

## **Background Information**

Arginase-1 (Liver arginase) belongs to the arginase family. ARG1 is a novel immunohistochemical marker of hepatocellular differentiation in fine needle aspiration cytology and a marker of hepatocytes and hepatocellular neoplasms. ARG1 is closely associated with alternative macrophage activation and ARG1 has been shown to protectmotor neurons from trophic factor deprivation and allow sensory neurons to overcome neurite outgrowth inhibition by myelin proteins (PMID: 20071539, PMID:12098359). It can exsit as a homotrimer and it has 3 isoforms produced by alternative splicing (PMID:16141327). Defects in ARG1 are the cause of argininemia (ARGIN). Deletion or TNF-mediated restriction of ARG1 unleashes the production of NO by NOS2, which is critical for pathogen control (PMID:27117406). ARG1 mainly expresses in neurons in a normal brain. The expression of ARG1 increases in microglia/macrophages and astrocytes early after CNS injuries. ARG1 has been regarded as a marker for beneficial microglia/macrophages and possesses antiinflammatory and tissue repair properties under various pathological conditions (PMID: 26538310, PMID: 31619589).


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CoraLite®532 Arginase-1 antibody (CL532-82975, Clone: 4M7) at dilution of 1:200.