For Research Use Only

CoraLite®594-conjugated PCNA Recombinant antibody

Catalog Number: CL594-81302-6



Basic Information

Catalog Number: GenBank Accession Number:

CL594-81302-6 BC000491
Size: GeneID (NCBI):

100ul , Concentration: 1000 µg/ml by 5111
Nanodrop; UNIPROT ID:

Source: P12004
Rabbit Full Name:

Isotype: proliferating cell nuclear antigen

IgG Calculated MW:
Immunogen Catalog Number: 29 kDa/31 kDa
AG0277 Observed MW:
36 kDa

IF-P 1:50-1:500 Excitation/Emission maxima

Recommended Dilutions:

wavelengths: 588 nm / 604 nm

Purification Method:

Protein A purification

CloneNo.:

240306B9

Applications

Tested Applications:

IF-P

Species Specificity: human, mouse, rat

Positive Controls:

IF-P: mouse testis tissue,

Background Information

Proliferating Cell Nuclear Antigen, commonly known as PCNA, is a protein that acts as a processivity factor for DNA polymerase δ in eukaryotic cells. This protein is an auxiliary protein of DNA polymerase delta and is involved in the control of eukaryotic DNA replication by increasing the polymerase's processibility during elongation of the leading strand. PCNA induces a robust stimulatory effect on the 3'-5' exonuclease and 3'-phosphodiesterase, but not apurinic-apyrimidinic (AP) endonuclease, APEX2 activities. It has to be loaded onto DNA in order to be able to stimulate APEX2. PCNA protein is highly conserved during evolution; the deduced amino acid sequences of rat and human differ by only 4 of 261 amino acids. PCNA has been used as loading control for proliferating cells. The calculated molecular weight of PCNA is 29 kDa, but modified PCNA is 36kDa (PMID: 1358458).

Storage


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse testis tissue using CoraLite® 594 PCNA antibody (CL594-81302-6, Clone: 240306B9) at dilution of 1:200. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).