For Research Use Only

CoraLite® Plus 750 Anti-Human CD73 (AD2) Mouse IgG2a Recombinant Antibody




Catalog Number:CL750-65564


Basic Information	Catalog Number: CL750-65564	GenBank Accession Number: BC015940	Purification Method: Protein A purification
	Size: 100tests , 5 ul/test	GenelD (NCBI): 4907	CloneNo.: AD2
	Source: Mouse Isotype: IgG2a	UNIPROT ID: P21589	Excitation/Emission maxima wavelengths: 755 nm / 780 nm
		Full Name: 5'-nucleotidase, ecto (CD73)	
		Calculated MW: 29 kDa, 63 kDa	
Applications	Tested Applications: FC		
	Species Specificity: human		
Background Information	CD73, also known as ecto-5'-nucleotidase (5'-NT), is a 70-kDa, glycosyl-phosphatidylinositol-linked membrane- bound glycoprotein found in most tissues (PMID: 18404475; 20179192). CD73 is an ectoenzyme that catalyzes the dephosphorylation of AMP and other nucleoside monophosphates (PMID: 9553767). In the human immune system, CD73 is expressed on subsets of T and B cells, on germinal center follicular dendritic cells, and on thymic medullary reticular fibroblasts and epithelial cells (PMID: 2137649; 9553767). CD73 is highly expressed in many human solid tumors and is closely involved in cancer progression (PMID: 20179192).		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10[^]6 human PBMCs were surface stained with PE Anti-Human CD45,and 5 ul Coralite® Plus 750 Anti-Human CD73 (AD2) Mouse IgG2a Recombinant Antibody (CL750-65564, Clone: AD2) or Coralite® Plus 750 Mouse IgG2a Isotype Control (C1.18.4) (CL750-65208, Clone: C1.18.4). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.

1x10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 750 Anti-Human CD73 (AD2) Mouse IgG2a Recombinant Antibody (CL750-65564, Clone: AD2) (red) or CoraLite® Plus 750 Mouse IgG2a Isotype Control (C1.18.4) (CL750-65208, Clone: C1.18.4) (blue). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.