For Research Use Only

PerCP Anti-Mouse CD8a (53-6.7)

Catalog Number: CP-65069




Basic Information	Catalog Number: CP-65069	GenBank Accession Number: BC030679	Purification Method: Affinity purification
	Size: 100ug , 100 µg/ml	GenelD (NCBI): 12525	CloneNo.: 53-6.7
	Source: Rat	UNIPROT ID: P01731	Excitation/Emission maxima wavelengths: 482 nm / 677 nm
	Isotype: IgG2a, kappa	<mark>Full Name:</mark> CD8 antigen, alpha chain	
Applications	Tested Applications: FC		
	Species Specificity: Mouse		
Background Information	CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8α or as a heterodimer of CD8α and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8αβ heterodimer while CD8αα homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) γδ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).		
Storage	Storage: Store at 2-8°C. Avoid exposur Storage Buffer: PBS with 0.09% sodium azide	e to light. Stable for one year after shipme 9.	nt.

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^6 mouse splenocytes were surface stained with 0.25 ug PerCP Anti-Mouse CD8a (53-6.7) (CP-65069, Clone:53-6.7) or unstained. Cells were then stained with 0.25 ug CoraLite® Plus 647 Anti-Mouse CD4 (GK1.5) (CL647-65104, Clone: GK1.5). Cells were not fixed.