For Research Use Only

FITC Plus Anti-Human CD11c (3.9)

Catalog Number: FITC-65086



Basic Information

Catalog Number: FITC-65086

GenBank Accession Number: BC038237

Purification Method: Affinity purification

Size:

GeneID (NCBI):

CloneNo.:

100tests , 5 μ l/test

3687 Full Name:

Excitation/Emission maxima

Mouse Isotype: integrin, alpha X (complement component 3 receptor 4 subunit)

wavelengths: 494 nm / 520 nm

lgG1, kappa

Calculated MW: 1169 aa, 129 kDa

Applications

Tested Applications:

FC

Species Specificity:

Human

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits (PMID: 9779984). CD11c, also known as integrin α X, is a type I transmembrane glycoprotein present on a variety of cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α/β heterodimer with CD18 (integrin β 2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD11c (FITC-65086, Clone: 3.9) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD11c (FITC-65086, Clone: 3.9) or unstained. Cells were not fixed. Monocytes were gated.