For Research Use Only

## FITC Plus Anti-Human CD8a (OKT8) Mouse IgG2a Recombinant Antibody

Catalog Number: FITC-65604



**Basic Information** 

Catalog Number:

FITC-65604

Size:

100tests, 5 ul/test

Source: Mouse

Isotype: IgG2a

GenBank Accession Number:

BC025715 GeneID (NCBI):

ENSEMBL Gene ID: ENSG00000153563

Full Name:

CD8a molecule Calculated MW:

235 aa, 26 kDa

**Purification Method:** 

Protein A purification

CloneNo.: ОКТ8

Excitation/Emission maxima

wavelengths: 495 nm / 524 nm

**Applications** 

**Tested Applications:** 

Species Specificity:

human

**Background Information** 

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8αβ heterodimer while CD8αα homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR)  $\gamma \delta$  T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T-cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide.

## **Selected Validation Data**



1x10^6 human PBMCs were surface stained with APC Anti-Human CD3, and 5 ul FITC Plus Anti-Human CD8a (OKT8) Mouse IgG2a Recombinant Antibody (FITC-65604, Clone:OKT8) or FITC Plus Mouse IgG2a Isotype Control (C1.18.4) (FITC-65208, Clone: C1.18.4). Cells were not fixed. Lymphocytes were gated.



1x10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD8a (OKT8) Mouse IgG2a Recombinant Antibody (FITC-65604, Clone: OKT8) (red) or FITC Plus Mouse IgG2a Isotype Control (C1.18.4) (FITC-65208, Clone: C1.18.4) (blue). Cells were not fixed. Lymphocytes were gated.