For Research Use Only

## FITC Plus Anti-Human CD72 Rabbit Recombinant Antibody

Catalog Number:FITC-98090





Basic Information	Catalog Number: FITC-98090	GenBank Accession Number: BC030227	Purification Method: Protein A purification
	Size: 100tests , 5 ul/test	GenelD (NCBI): 971	CloneNo.: 241300C1
	Source: Rabbit	UNIPROT ID: P21854	Excitation/Emission maxima wavelengths: 495 nm / 524 nm
	Isotype: IgG	Full Name: CD72 molecule	
		Calculated MW: 359 aa, 40 kDa	
Applications	Tested Applications: FC		
	Species Specificity: human		
Background Information	CD72 is a type II transmembrane glycoprotein of 39-45 kDa and is expressed as a disulphide-linked homodimer (PMID: 1711157). CD72 is a pan B-cell marker covering the full range of differentiation from the very early stages of B cells to mature surface Ig+ B cells (PMID: 1384316). It is expressed in all stages of B cell development except plasma cells. CD72 is also expressed by dendritic cells, tissue macrophages in the red pulp of the spleen and von Kupffer cells in the liver (PMID: 9590210). Interaction of CD100 with CD72 strictly tunes the strength of BCR signals and is essential for maintaining immunological homeostasis as well as generating a proper immune response (PMID: 16113236).		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free<br/>in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**





1x10<sup>^6</sup> human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD72 Rabbit RecAb (FITC-98090, Clone: 241300C1) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9). Cells were co-stained with CoraLite® Plus 647 Anti-Human CD19 (407) Mouse IgG2a Recombinant Antibody (CL647-65562, Clone: 4G7). Cells were not fixed. Lymphocytes were gated.

1x10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD72 Rabbit RecAb (FITC-98090, Clone:241300C1) (red) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). Cells were not fixed. Lymphocytes were gated.