For Research Use Only

FITC Plus Anti-Human CD93 Rabbit Recombinant Antibody

Catalog Number: FITC-98337



Basic Information

Catalog Number: FITC-98337

GenBank Accession Number: NM_012072.3

Purification Method: Protein A purification

Size:

GeneID (NCBI):

100tests, 5 ul/test

22918

CloneNo.: 242464E6

Source: Rabbit

UNIPROT ID: Q9NPY3

Recommended Dilutions:

Isotype:

Full Name:

FC: 5 ul per 10^6 cells in a 100 µl suspension

CD93 molecule

Excitation/Emission maxima

Immunogen Catalog Number:

Calculated MW: 69 kDa

wavelengths: 495 nm / 524 nm

Applications

Tested Applications:

Positive Controls:

Species Specificity:

human

FC: human PBMCs,

Background Information

CD93, also known as C1qR or C1qR(p), is a single-pass type I transmembrane glycoprotein and a member of the group 14 of the C-type lectin-like domain (CTLD) superfamily, which also includes endosialin/CD248, thrombomodulin, and CLEC14A (PMID: 31287944). CD93 consists of a C-type lectin-like domain, five EGF-like repeats, a mucin-like domain, a transmembrane domain and a cytoplasmic domain (PMID: 28912033). CD93 is mainly expressed on endothelial cells and has been reported to be expressed by neurons and various cells of the hematopoietic system, including monocytes, neutrophils, B cells, natural killer cells, platelets and hematopoietic stem cells (PMID: 37443812). CD93 plays a role in various physiological processes including angiogenesis, inflammation, and cell adhesion (PMID: 31287944).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 human PBMCs were surface stained with APC Anti-Human CD14, and 5 ul FITC Plus Anti-Human CD93 Rabbit RecAb (FITC-98337, Clone: 242464E6) or FITC Plus Rabbit 1gG I sotype Control RecAb (FITC-98136, Clone: 240953C9). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.



1x10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD93 Rabbit RecAb (FITC-98337, Clone: 242464E6) (red) or FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.