

Catalog Number: HZ-1024

## **Data Sheet**





Animal Component-Free

Human cell expressed

Tag-Free


**Endotoxin Free** 

## **Product Description**


Animal-free Recombinant Human SCF is expressed in human 293 cells as a monomeric glycoprotein with an apparent molecular mass of 35 to 45 kDa. This product is produced in a human cell expression system with serum-free, chemically defined media. Production in human 293 cells offers authentic glycosylation, contributing to stability in cell growth media and other applications. SCF is a hematopoietic growth factor that exerts its activity by signaling through the c-Kit receptor. SCF and c-Kit are essential for the survival, proliferation, and differentiation of hematopoietic cells committed to the melanocyte and germ cell lineages.

Alternative Names	c Kit ligand, DKFZp686F2250, KIT ligand, Kitl, KITLG, KL 1, Mast cell growth factor, MGF, SCF, SF, SHEP7, Stem cell factor		
Source	Human Embryonic Kidney cells (HEK293). HEK293-derived SCF protein		
Species Reactivity	human		

	Specifications	
Test	Method	Specification
Activity	Dose-dependent stimulation of the proliferation of human M07e cells (human megakaryoblastic leukemia cell line)	15-85 ng/mL
Molecular Mass	SDS-PAGE	30 to 45 kDa reduced and non-reduced, monomer, glycosylated
Purity	SDS-PAGE	>95%
Endotoxin	LAL	<1 EU/µg



Recombinant human SCF (HZ-1024) stimulates dosedependent proliferation of the MO7e human megakaryoblastic leukemia cell line. Cell number was quantitatively assessed by PrestoBlue® Cell Viability Reagent. MO7e cells were treated with increasing concentrations of GMP recombinant SCF for 72 hours. The EC50 was determined using a 4-parameter non-linear



www.ptglab.com

Document #: FR-QA118-101 Rev 0 Data Sheet Version #: 1 Proteintech Group, Inc.

5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com

	Preparation		
Shipping Temperature	ambient temperature		
Formulation	1x PBS, See Certificate of Analysis for details		
Reconstitution	Briefly centrifuge the vial before opening. It is recommended to reconstitute the protein to 0.2 mg/mL in sterile 1xPBS pH 7.4 containing 0.1% endotoxin-free recombinant human serum albumin (HSA). Gently swirl or tap to mix.		

	Product Form	Temperature Conditions	Storage Time (From Date of Receipt)	
	Lyophilized	-20°C to -80°C	Until Expiry Date	
Stability and Storage	Lyophilized	Room Temperature	2 weeks	
, -	Reconstituted as per CofA	-20°C to -80°C	6 months	
	Reconstituted as per CofA	4°C	1 week	
	Avoid repeated freeze-thaw cycles.			

www.ptglab.com

Document #: FR-QA118-101 Rev 0 Data Sheet Version #: 1 Proteintech Group, Inc.

5500 Pearl Street, Suite 400 Rosemont, IL 60612 t: 1-888-478-4522; f: 1-312-455-8408 Email: proteintech@ptglab.com