

For Research Use Only

IHCeasy TLK2 Ready-To-Use IHC Kit

Catalog Number: KHC2634

General Information

Sample type: FFPE tissue Cited sample type: Reactivity: **Cited Reactivity:**

Assay typ Immunohistochemistry Primary antibody type: Rabbit Polyclonal Secondary antibody type: Polymer-HRP-Goat anti-Rabbit

Kit Component

Component	Size	Concentration
Antigen Retrieval Buffer	100 mL	50×
Washing Buffer	100 mL ×2	20×
Blocking Buffer	5 mL	RTU
Primary Antibody	5 mL	RTU
Secondary Antibody	5 mL	RTU
Chromogen Component A	0.2 mL	RTU
Chromogen Component B	4 mL	RTU
Signal Enhancer	5 mL	RTU
Counter Staining Reagent	5 mL	RTU
Mounting Media	5 mL	RTU
Control Slide	1 slide (Optional)	FFPE
Datasheet	1 Сору	
Manual	1 Сору	

Storage Instructions

All the reagents are stored at 2-8°C. The kit is stable for 6 months from the date of receipt.

Background

Tousled-like kinases (TLKs) are a family of serine/threonine kinases located in the nucleus that promote S-phase chromatin assembly and mitotic chromosome segregation. There are two genes in the TLK family-TLK1 and TLK2. Mutation in TLK2 are associated with an elevated risk of breast cancer. Tousled-like kinase 2 (TLK2) is a key factor in glioblastoma that modulates SRC signaling, thereby driving tumor malignancy. TLK2 is commonly upregulated in glioblastoma, and such upregulation was associated with poor patient outcomes. TLK2 overexpression induced cell growth, migration, invasion, and epithelialmesenchymal transition, and cell cycle arrest, while TLK2 knockdown had the opposite effect opposite effect.

Synonyms

TLK2,EC:2.7.11.1,HsHPK,PKU ALPHA,PKU-alpha

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll E: proteintech@ptglab.com free in USA), or 1(312) 455-8498 (outside W: ptglab.com USA)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data