For Research Use Only Human CD14 Magnetic Beads

Catalog Number: MS006



www.ptglab.com

Description CD14 is a surface antigen expressed on monocyte/macrophage. It cooperates with other proteins to mediate

innate immune response to bacterial LPS. 5%-10% human peripheral blood mononuclear cells (PBMC) express CD14. Human CD14 Magnetic Beads Kit is used for isolation or depletion of human CD14

monocytes/macrophages from PBMC, whole blood, or other sample types. CD14 positive cells and negative cells could be separated after short incubation with Human CD14 Magnetic Beads on a magnet. CD14 positive cells remain attached to magnetic beads after separation and can be used for further molecular analysis or in vitro culture, but not suitable for flow cytometry analysis. CD14 negative cells remain in the supernatant and

can be used also.

Components MS006-10: 100 µL 10 mg/mL human CD14 magnetic beads

MS006-100: 1 mL 10 mg/mL human CD14 magnetic beads

Package 10 test/100 test


Storage 2-8°C

Reactivity Human

Recommend usage 10 µL Human CD14 Magnetic Beads for 1*10⁷ cells

Beads Diameter 2.7 µm

Validation Data



Representative example of depletion: Following cell separation, cell suspension was stained with FITC-CD45(F10-89-4) and CL650-CD14(UCHM1) antibodies. All viable cells are gated in the analysis. Left panel: CD14+CD45+ cells before selection. Right panel: CD14+CD45+ cells after depletion. Human CD14 magnetic beads are tested.. using PBMC from three donors.