For Research Use Only

FcZero-rAb[™] PE Anti-Human VEcadherin/CD144 Rabbit Recombinant Antibody




Catalog Number:PE-FcA98071

Basic Information	Catalog Number: PE-FcA98071	GenBank Accession Number: NM_001795.5	Purification Method: Protein A purification	
	Size: 100tests , 5 ul/test	GenelD (NCBI): 1003	CloneNo.: 240755B2	
	Source: Rabbit	Full Name: cadherin 5, type 2 (vascular endothelium) Calculated MW: 88 kDa	Excitation/Emission maxima wavelengths: 496 nm, 565 nm / 578 nm	
	lsotype: IgG			
Applications	Tested Applications: FC	Positive Controls:		
	Species Specificity: human	FC : HUVEC cells,		
Background Informa	play an important role in the cadherin), also known as Cad adhesion proteins (PMID: 212 homophilic adhesion in the v the organization of lateral en endothelium (PMID: 1522121 18162609). The calculated m 140 kDa is higher due to post	Cadherins are a family of transmembrane glycoproteins that mediate calcium-dependent cell-cell adhesion and play an important role in the maintenance of normal tissue architecture. Vascular endothelial cadherin (VE-cadherin), also known as Cadherin-5 (CDH5) or CD144, is a member of the type II classical cadherin family of cell adhesion proteins (PMID: 21269602). VE-cadherin is expressed specifically in endothelial cells and mediates homophilic adhesion in the vascular endothelial junctions and in the control of permeability properties of vascular endothelial junctions and in the control of permeability properties of vascular endothelium (PMID: 1522121; 8555485; 21269602). VE-cadherin plays a role in the organization of lateral endothelial junctions and in the control of permeability properties of vascular endothelium (PMID: 1522121). VE-cadherin has also been shown to be required for angiogenesis (PMID: 16473763; 18162609). The calculated molecular weight of VE-cadherin is 88 kDa and the apparent molecular weight of 120-140 kDa is higher due to post-translational glycosylation and phosphorylation (PMID: 10460833; 29894844). Full-length VE-cadherin can be proteolytically cleaved to generate a fragment of 90-100 kDa (PMID: 9786462; 22064597).		
	0	pteolytically cleaved to generate a fragme		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^6 HUVEC cells were surface stained with 5 ul PE Anti-Human VE-cadherin/CD144 Rabbit RecAb (PE-FcA98071, Clone:240755B2) (red) or PE Rabbit IgG Isotype Control RecAb (PE-FcA98136, Clone: 240953C9) (blue). Cells were not fixed.